

## RECAP PAPER 2

Name ..... Score .....

**1. A casualty suffering from concussion may be.....?**

- a) Pale with a partial loss of memory and have a mild headache
- b) Flushed with a dry skin and an intense headache
- c) Pale, with cold and dry skin and slow breathing
- d) Irrational and confused with slow noisy breathing

**2. If injuries allow, a conscious casualty with external bleeding to the abdomen should be placed?**

- a) Laying with head and shoulders raised with knees bent and supported
- b) On their back with knees raised and supported
- c) In the recovery position
- d) Sitting upright with legs supported

**3. Coughed up bright red, frothy blood would indicate injury to the.....?**

- a) Stomach
- b) Lungs
- c) Liver
- d) Small intestine

**4. The best position for a casualty suffering from a heavy nosebleed is.....?**

- a) Recovery position
- b) Sitting with head back
- c) Sitting with head forward
- d) Lying down with head and shoulders raised

**5. A casualty suffering from an angina attack will probably.....?**

- a) Become unconscious very quickly
- b) Recover rapidly on resting and taking their own medication
- c) Need resuscitation
- d) Need to be placed in the recovery position

- 6. Your first aim in treating a penetrating chest injury would be to.....?**
- a) Prevent bleeding
  - b) Prevent air entering the chest cavity
  - c) Prevent infection
  - d) Prevent shock
- 7. Which of the following could indicate that a casualty was suffering from shock?**
- a) Flushed, cold clammy skin, rapid weak pulse
  - b) Pale, cold clammy skin, slow strong pulse
  - c) Pale, warm skin, slow strong pulse
  - d) Pale, cold clammy skin, rapid weak pulse
- 8. A conscious casualty suffering from shock should, if his condition allowed, be placed.....?**
- a) In the recovery position
  - b) Seated with head between knees
  - c) Laid on the back with legs raised and supported
  - d) Encouraged to keep moving to improve circulation
- 9. What type of wound would most likely be caused by a sharp edge?**
- a) Abrasion
  - b) Contusion
  - c) Puncture
  - d) Incision
- 10. A casualty suffering from cerebral compression could be.....?**
- a) Flushed with dry skin, complaining of an intense headache, becoming drowsy
  - b) Pale with clammy skin and thirsty
  - c) Coughing up bright red blood
  - d) Briefly unconscious with a mild headache and memory loss